

# Object-Oriented and Graphical Database Reference and Visualization

#### EXHIBIT B

Title Business Analysis & Management Systems
Utilizing Enterprise Metrics
Inventors: Michael M. Mann & Arne Haugland
Attys.: Fulwider Patton et al. Dkt. # 65568/ENCMP


#### **Parasol Introduction**

The Parasol product line consists of two related products that provide tools for users and managers to view corporate databases in ways never before possible. Parasol Executive is a a ready-to-run library of programs that access SQL-based data tables and present hierarchical structures graphically on the screen. Parasol Developer is an application development tool to build custom solutions for entering, reviewing and editing data in SQL tables based on the specific needs of each customer.


#### **Parasol Executive**

Many organizations have collected and stored a wide variety of databases that contain valuable corporation information. Parasol Executive provides the ability to apply a hierarchical structure to those tables, even after they were designed or loaded with data.

Parasol can unravel complex, unrelated databases by allowing users to add connections between rows of data in tables, and then graphically viewing them on the screen. Information can be readily accessed, and relationships understood more easily using a graphical view of the data tables. As a result, data tables that may have been considered obsolete can be re-vitalized and used again in making data queries or decisions based on critical information.



This is an example of a complex data structure shown in Parasol Executive, from a 3D view.



This screen sample shows the ability of Parasol Executive to remove all data elements except those linked to a selected item.

Existing databases can be integrated without the need to restructure or transfer information to a new database. This saves time, development effort, and computer operating costs because you can use the existing data, and do not need to convert the large volume of information in your databases.


By using a graphical view of your database, Parasol Executive allows you the ability to find important information without searching through large volumes of reports and data listings. And with its object-oriented design approach, you will be using the most efficient and flexible technologies available for computer software implementation.

With a 3D view, you can navigate around your database structure, reviewing details as you go. You can look at the structure from any vantage point -- up, down, away, close-up, and even from inside. With this power and flexibility, you will be able to view, analyze and understand data relationships and connections as never before.

Parasol Executive provides standard graphical views, navigational functions, an operational shell, and library modules, to run a custom-built application that you design and generate with Parasol Developer.

# **Parasol Developer**

Applications that are custom-built and retro-fitted to existing database structures are usually difficult to design, develop, and implement. Parasol Developer provides the tools to design and build object-oriented applications based on un-related SQL tables that may exist on several types of computers and software systems. Using graphical design techniques and an object-oriented approach, you can quickly and easily build your own application with Parasol Developer, and then run it with Parasol Executive.



By using the Alfred (Application Framework Editor) functions of Parasol Developer, you design and create your own dialog boxes.

After you identify and specify the tables you require, you design your application with a series of database definitions and dialog box specifications. These are stored as design parameters in database form, and then used in the generation of C code for your application.

This code is then compiled with one easy step, and the custom application is stored ready for execution. With this automatic application generation approach, you save hours of design and development time with a corresponding increase in productivity.

With Parasol Developer, you create dialog boxes for SQL queries, table views, "where" clauses for filters, and data entry/edit functions. Your final application will have the ability to add connections and links between specific data values of tables that were not previously linked through key fields.

Custom applications created with Parasol Developer have an object-oriented design, and thus can be modified easily. You can change the design specification for any element, re-generate and re-compile the code, and have a new function or feature for your application. Furthermore, you can edit the source code files and add specialized "tweaks" or changes to incorporate other application functionality, or link with programs previously developed. This flexibility and open architecture allows you to easily integrate any Parasol generated application within your corporate information and application environment.

```
AbiSetFields( PAB1 pAb1, PGDB pGdb )
                                  PASR
                                                                                                                                                                 pAsr;
                                LargeInt
                                                                                                                                                              offset;
                                  MediumInt
                                AbiAssert( pAbi );
                                GdbAssert( pGdb );
                                  pAsr = Abiasasr( pabi );
                            GdbSetText( pGdb, DID_ET_1, GdbClearMdt( pGdb, DID_CTMB0_1, GdbSetText( pGdb, DID_COMB0_1, GdbSetText( pGdbSetText( pGdbSetText(
                                                                                                                                                                                                                                                                                                                                                                              AsrGetAbsid( pAsr ) );
                                                                                                                                                                                                                                                                                                                                                                            AsrGetType( pAsr ) );
                              GdbClearMt( pGdb, DID_COMBO_1
GdbSetText( pGdb, DID_ET_2,
GdbClearMdt( pGdb, DID_ET_2 );
GdbSetText( pGdb, DID_ET_3,
                                                                                                                                                                                                                                                                                                                                                                            AsrGetSubtype( pAsr ) );
                                                                                                                                                                                                                                                                                                                                                                              AsrGetDescription( pasr ) );
                            6dbClearMdt( p6db, DID_ET_3, 6dbSetText( p6db, DID_ET_4, 6dbClearMdt( p6db, DID_ET_4, FT_4, FT_5, DID_ET_4, DID_ET_4, DID_ET_4, DID_ET_4, DID_ET_4, DID_ET_5, DID_ET_5
                                                                                                                                                                                                                                                                                                                                                                            AsrGetAbbrev( pAsr ) );
                        GdbSetText( pGdb, DID_ET_5,
GdbClearMdt( pGdb, DID_ET_5
GdbSetText( pGdb, DID_ET_6,
GdbClearMdt( pGdb, DID_ET_6
                                                                                                                                                                                                                                                                                                                                                                          AsrGetUser1( pAsr ) );
                                                                                                                                                                                                                                                                                                                                                                        AsrGetUser2( pAsr ) );
Line=652 Col=1
                                                                                                                                                                                                                                                                                                                                                                              A:AB1.C
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      W=63222 Inden
```

The source code generated by Parasol Developer is objectoriented in design, and can be edited for further customization or refinement.

By using Parasol's unique ability to access existing SQL databases without restructuring, you can create graphical database reference and visualization applications within hours and days, rather than weeks and months. Also, with generated code, less QA and testing time is required, since the source code files are created by computer software rather than manually typed by programmers.

### **Features of Parasol Executive**

#### View of Connected Tables

)

- > Data links can be defined between rows of data in the same table or in other tables of the database
- > Based on the links established by the user, the data tables are shown in a 3D graphic or 2D outline view of the database structure
- > Links can be established between rows of data, whether or not foreign key fields were previously defined for linking those specific tables

#### Reduced Data View

- > You can condense large, complex data structures to smaller, more manageable views with filtering and other selection functions
- > Long lists and reports can be simplified to graphical pictures, both on screen and in hardcopy reports

#### Relational Database Navigation

- > You move around the structure view by pointing at the element you want to see, or by moving the view with a positional orbit indicator
- > When you select an item, you can view all the details about it, and edit the data
- > Data element connections can be added and changed with point-and-click methods

#### Impact Analysis

- > With a graphical view of the database, you can visualize the impact of various changes to the data, or conditions for the various data elements
- > You can see what item connects to other items, either as a parent-child relationship, or as a sibling

#### Data Implosion

- > You can use an inverted view of the data structure to evaluate information from a "bottoms-up" approach to understand where an item is used
- > Information and what it connects to can be simplified and analyzed easily

#### Data Update and Reference

- > Any data values in the tables can be added, changed or reviewed
- > You can integrate text, graphics and application programs associated with various data elements in the structure
- > Links can be added, changed or deleted

#### Multiple Data Links

- > Any group of tables can be linked on a one-to-one, one-to-many, or many-to-many basis
- > You connect rows in tables to another row in the same table or other tables, whether there are foreign key fields existing or not

#### Outline Processing

- > All information can be viewed as a 2D outline of text
- > Custom reports and tabular listings can be generated and printed

#### Time Based Relationships

- > You can attach effective dates to any data element, and use these for selection criteria in filters (before and after type queries)
- > This functions allows you to manage change to the database or structure

#### Change Management

> Automatic tracking of database changes including, audit trails and other information, makes database maintenance easy and simple

#### Data Table Filtering

- > You use standard SQL query statements to extract data from the database, based on only the information you want to view
- > Various views are stored and accessible directly from the main menus once they are generated
- > Enter filters on an individual table basis

# Features of Parasol Developer

#### Standard Naming Conventions

- > Data files, code, and objects utilize standard naming conventions that you can use
- > Data tables are defined, either as new tables in Database Manager, or as existing tables in other SQL databases

#### Customize Menu Structure

- > Based on the unique data tables for each application, you can add and/or change the menu names for each user of Parasol Executive
- > You can edit other C source code files provided with Parasol Developer to make changes to how Parasol Executive will behave

#### Design the Application

- > Use the Alfred (Application Framework Editor) functions to design and build all record queries, table views, find dialogs and data dialogs for the application
- > Point-and-click methods and standard graphical icons are used to create object-oriented applications customized for each user

#### Code Generation

- > Run the Parasol Code Generator to create object-oriented C source code files for each object in the application, and other source code files provided
- > Compile the source code into executable libraries and functions

#### Make the Application

- > You can edit any of the source code files to add extra functions, or integrate other applications or modules
- > Link the entire application together and merge it into the library modules of Parasol Executive with one execution file
- > Install an icon in OS/2 and attach the application database and executable file for a user to start the customized application

#### **Other Parasol Products**

Other products available from Parasol Inc. include sample applications for various industries and company functions, and an electronic form of the Parasol Executive User Guide that can be customized by each client for their own specific application. Contact Parasol Inc. for further information about pricing and availability of these Parasol products.

# **System Requirements**

The following computer system components are required for the Parasol products:

IBM OS/2 V1.3 or later

IBM Database Manager for OS/2

386/20 or higher CPU with 8 MB memory

Floating Point Processor (for 386 based machines)

VGA graphics card and monitor (XGA preferable)

SQL database access to application datatables (if used in the application design)

For Parasol Executive:


5 MB of disk space for each application

For Parasol Developer:

20 MB of disk space

C compiler (IBM or Microsoft)

OS/2 Software Development Kit (SDK)



# parasol, inc.

2551 Pebble Beach Loop, Lafayette, California 94549 Phone: 510-934-8768 Fax: 510-934-8112

Parasol is a trademark of Parasol Inc. Other trademarks are properties of their respective companies. © Copyright 1992 Parasol Inc.